Neuroscience Letters, 199 (1995) 235–238
Elsevier Science Ireland Ltd.

AUTHOR INDEX

Abe, K., Pan, L.-H., Watanabe, M., Kato, T., Itoyama, Y., Induction of nitrotyrosine-like immunoreactivity in the lower motor neuron of amyotrophic lateral sclerosis, 152
Adolfsson, R., see Cruts, M., 73
Agid, Y., see Levy, R., 220
Aït-Ikhlef, A., Murawsky, M., Blondet, B., Hantaz-Ambroise, D., Martinou, J.C., Rieger, F., The motoneuron degeneration in the wobbler mouse is independent of the overexpression of a Bcl2 transgene in neurons, 163
Amar, M., Thomas, P., Wonnacott, S., Lunt, G.G., A nicotinic acetylcholine receptor subunit from insect brain forms a non-desensitising homo-oligomeric nicotinic acetylcholine receptor when expressed in *Xenopus* oocytes, 107
Andreasen, M., see Siarey, R.J., 211
Angel, E., see Rafaï, H., 147
Anvari, E., see Münte, T.F., 57
Arango, V., see Underwood, M.D., 228
Attanasio, A., see Migheli, A., 53

Baamonde, C., see Escorihuela, R.M., 143
Backhovens, H., see Cruts, M., 73
Bakalian, M.J., see Underwood, M.D., 228
Baker, R.E., see Bingmann, D., 187
Ball, S.G., see McDonald, R.L., 115
Ballantyne, D., see Bingmann, D., 187
Balmforth, A.J., see McDonald, R.L., 115
Baron, P.L., see Conti, G., 135
Bartels, M., see Lutzenberger, W., 119
Basun, L., see Lannfelt, H., 203
Bayer, S.A., see Migheli, A., 53
Bhattacharya, S.K., Chakrabarti, A., Sandler, M., Glover, V., Rat brain monoamine oxidase A and B inhibitory (tribulin) activity during drug withdrawal anxiety, 103
Bian, D., see Ossipov, M.H., 83
Bian, D., see Ossipov, M.H., 87
Bingmann, D., Baker, R.E., Ballantyne, D., Jones, D., Widman, G., Suppression of rhythmic discharges of medullary neurones in organotypic cultures of new-born rats by calcium antagonists, 187
Blondet, B., see Aït-Ikhlef, A., 163
Boadle-Biber, M.C., see Dilts, R.P., 78
Brooks, W.S., Martins, R.N., De Voecht, J., Nicholson, G.A., Schofield, P.R., Kwok, J.B.J., Fisher, C., Yeung, L.U., Van Broeckhoven, C., A mutation in codon 717 of the amyloid precursor protein gene in an Australian family with Alzheimer's disease, 183
Brunetti, M., see Parnetti, L., 231
Burlet, A., see Rafaï, H., 147
Burlet, C., see Rafaï, H., 147

Cadini, D., see Parnetti, L., 231
Carpenter, D.O., see Fejtl, M., 33
Cecchetti, R., see Parnetti, L., 231
Chakrabarti, A., see Bhattacharya, S.K., 103
Chan, H.H., see Lee, T.-Y., 195
Chaplan, S.R., see Lee, Y.-W., 111
Chapleur-Chateau, M., see Rafaï, H., 147
Chionne, F., see Parnetti, L., 231
Choi, S., see Lovinger, D.M., 9
Conti, G., Baron, P.L., Scarpini, E., Vedeler, C., Rostami, A., Pleasure, D., Scarlato, G., Low-affinity nerve growth factor receptor expression in sciatic nerve during P_2-peptide induced experimental allergic neuritis, 135
Cruts, M., Backhovens, H., Van Gassen, G., Theuns, J., Wang, S.-Y., Wehnert, A., van Duijn, C.M., Karlsson, T., Hofman, A., Adolfsson, R., Martin, J.-J., Van Broeckhoven, C., Mutation analysis of the chromosome 14q24.3 dihydrolipoyl succinyltransferase (DLST) gene in patients with early-onset Alzheimer disease, 73

D'Alessandro, M., see Salvatore, M., 95
De Voecht, J., see Brooks, W.S., 183
Dierssen, M., see Escorihuela, R.M., 143
Dilts, R.P., Boadle-Biber, M.C., Differential activation of the 5-hydroxytryptamine-containing neurons of the midbrain raphe of the rat in response to randomly presented inescapable sound, 78
Ding, Y.-Q., Nomura, S., Kaneko, T., Mizuno, N., Presynaptic localization of μ-opioid receptor-like immunoreactivity in retinal axon terminals within the terminal nuclei of the accessory optic tract: a light and electron microscope study in the rat, 139
Domet, M.A., Webb, C.E., Wilson, D.F., Impact of α-bungarotoxin on transmitter release at the neuromuscular junction of the rat, 49

Eiden, L.E., see Nohr, D., 25
Escorihuela, R.M., Fernández-Teruel, A., Vallina, I.F., Baamonde, C., Lumbreras, M.A., Dierssen, M., Tobeña, A., Flórez, J., A behavioral assessment of Ts65Dn mice: a putative Down syndrome model, 143

Faucheux, B., see Levy, R., 220
Fejtl, M., Carpenter, D.O., Neurite outgrowth is enhanced by conditioning factor(s) released from central ganglia of *Aplysia californica*, 33
Fernández-Teruel, A., see Escorihuela, R.M., 143
Fernette, B., see Rafaï, H., 147
Fisher, C., see Brooks, W.S., 183
Flórez, J., see Escorihuela, R.M., 143
Förster, E., Frotscher, M., Developmental upregulation of the neural cell adhesion molecule VASE exon in slice cultures of rat hippocampus, 167
Frotscher, M., see Förster, E., 167
Fu, M.-J., see Lee, T.-Y., 195
Fukagawa, K., Knight, D.S., Hamilton, K.A., Tso, P., Immunoreactivity for apolipoprotein A-IV in tanycytes and astrocytes of rat brain, 17
Fukuda, K., Panter, S.S., Sharp, F.R., Noble, L.J., Induction of heme oxygenase-1 (HO-1) after traumatic brain injury in the rat, 127
Furuta, S., see Kohno, K., 65
Fushiki, S., Matsumoto, K., Nagata, A., Neurite outgrowth of murine cerebellar granule cells can be enhanced by aniracetam with or without α-amino-3-hydroxy-5-methyl-4-isoxazole propionic acid (AMPA), 171

Gaiti, A., see Parnetti, L., 231
Genis, I., Gordon, I., Sehayek, E., Michaelson, D.M., Phosphorylation of tau in apolipoprotein E-deficient mice, 5
Genis, I., see Gordon, I., 1
Ghetti, B., see Migheli, A., 53
Glasky, A.J., see Middlemiss, P.J., 131
Glover, V., see Bhattacharya, S.K., 103
Goossens, J.H.H.L.M., see Wubbels, R.J., 179
Gordon, I., Grauer, E., Genis, I., Sehayek, E., Michaelson, D.M.,

Memory deficits and cholinergic impairments in apolipoprotein E-deficient mice, 1
Gordon, I., see Genis, I., 5
Grauer, E., see Gordon, I., 1
Guenther, E., see Schmid, S., 91
Gysbers, J., see Middlemiss, P.J., 131

Haas, H.L., see Saybasili, H., 225
Hamilton, K.A., see Fukagawa, K., 17
Hanaoka, F., see Tanaka, M., 37
Hantaz-Ambroise, D., see Aït-Ikhlef, A., 163
Haumont-Pellegri, B., see Rafaï, H., 147
Herrero, M.-T., see Levy, R., 220
Hindley, S., see Middlemiss, P.J., 131
Hirsch, E.C., see Levy, R., 220
Hofman, A., see Cruts, M., 73
Honerkamp, S., see Rohrbacher, J., 207
Hong, S.K., see Kim, Y.I., 158

Idzu, T., see Matsubara, K., 199
Ikeda, M., see Saitoh, K., 191
Issberner, U., see Steen, K.H., 29
Itoyama, Y., see Abe, K., 152

Johannes, S., see Münte, T.F., 57
Johnson, A.K., see Zardetto-Smith, A.M., 215
Jones, D., see Bingmann, D., 187

Kadota, O., Ohta, S., Kumon, Y., Sakaki, S., Matsuda, S., Sakanaka, M., Role of basic fibroblast growth factor in the regulation of rat basilar artery tone in vivo, 99
Kaneko, T., see Ding, Y.-Q., 139
Karlsson, T., see Cruts, M., 73
Kato, T., see Abe, K., 152
Kawaguchi, Y., see Nakamura, H., 155
Kim, Y.I., Na, H.S., Yoon, Y.W., Nahm, S.H., Ko, K.H., Hong, S.K., Mechanical allodynia is more strongly manifested in older rats in an experimental model of peripheral neuropathy, 158
Kimura, K., see Matsubara, K., 199
Kitagawa, H., see Nakamura, H., 155
Knight, D.S., see Fukagawa, K., 17
Ko, K.H., see Kim, Y.I., 158
Kobayashi, K., see Suzuki, T., 69
Kobayashi, S., see Matsubara, K., 199
Kobayashi, Y., see Matsubara, K., 199
Kohler, K., see Schmid, S., 91
Kohno, K., Ohta, S., Furuta, S., Kohno, K., Kumon, Y., Sakaki, S., Intraventricular administration of nitric oxide synthase inhibitors prevents delayed neuronal death in gerbil hippocampal CA1 neurons, 65
Kohno, K., see Kohno, K., 65
Krieglstein, K., see Rohrbacher, J., 207
Kumon, Y., see Kadota, O., 99
Kumon, Y., see Kohno, K., 65
Kwok, J.B.J., see Brooks, W.S., 183

Lambert, J.D.C., see Siarey, R.J., 211
Lannfelt, H., Basun, L., Vigo-Pelfrey, C., Wahlund, L.-O., Winblad, B., Lieberburg, I., Schenk, D., Amyloid β-peptide in cerebrospinal fluid in individuals with the Swedish Alzheimer amyloid precursor protein mutation, 203
Lee, T.-Y., Fu, M.-J., Lui, P.-W., Chan, H.H., Involvement of potassium and calcium channels at the locus coeruleus in fentanyl-induced muscular rigidity in the rat, 195
Lee, W.-H., see Migheli, A., 53
Lee, Y.-W., Chaplan, S.R., Yaksh, T.L., Systemic and supraspinal, but not spinal, opiates suppress allodynia in a rat neuropathic pain model, 111
Levy, R., Vila, M., Herrero, M.-T., Faucheux, B., Agid, Y., Hirsch, E.C., Striatal expression of substance P and methionin-enkephalin genes in patients with Parkinson's disease, 220
Lewen, A., see Rohrbacher, J., 207
Lieberburg, I., see Lannfelt, H., 203
Lopez, Y., see Ossipov, M.H., 83
Lopez, Y., see Ossipov, M.H., 87
Lovinger, D.M., Choi, S., Activation of adenosine A1 receptors initiates short-term synaptic depression in rat striatum, 9
Lui, P.-W., see Lee, T.-Y., 195
Lumbreras, M.A., see Escorihuela, R.M., 143
Lunt, G.G., see Amar, M., 107
Lutzenberger, W., Stevens, A., Bartels, M., Do schizophrenics not differentiate between perception and imagination? an EEG study using dimensional analysis, 119
Lynn, B.D., Marotta, C.A., Nagy, J.I., Propagation of intercellular calcium waves in PC12 cells overexpressing a carboxy-terminal fragment of amyloid precursor protein, 21

Mann, J.J., see Underwood, M.D., 228
Marotta, C.A., see Lynn, B.D., 21
Martin, J.-J., see Cruts, M., 73
Martinou, J.C., see Aït-Ikhlef, A., 163
Martins, R.N., see Brooks, W.S., 183
Marunouchi, T., see Tanaka, M., 37
Maruyama, W., see Matsubara, K., 199
Matsubara, K., Idzu, T., Kobayashi, Y., Nakahara, D., Maruyama, W., Kobayashi, S., Kimura, K., Naoi, M., *N*-Methyl-4-phenylpyridinium and an endogenously formed analog, *N*-methylated β-carbolinium, inhibit striatal tyrosine hydroxylation in freely moving rats, 199
Matsuda, S., see Kadota, O., 99
Matsumoto, K., see Fushiki, S., 171
Matzke, M., see Münte, T.F., 57
McDonald, R.L., Balmforth, A.J., Palmer, A.C.V., Ball, S.G., Peers, C., Vaughan, P.F.T., The effect of the angiotensin II (AT_{1A}) receptor stably transfected into human neuroblastoma SH-SY5Y cells on noradrenaline release and changes in intracellular calcium, 115
Mergner, Th., see Schweigart, G., 123
Michaelson, D.M., see Genis, I., 5
Michaelson, D.M., see Gordon, I., 1
Middlemiss, P.J., Glasky, A.J., Rathbone, M.P., Werstuik, E., Hindley, S., Gysbers, J., AIT-082, a unique purine derivative, enhances nerve growth factor mediated neurite outgrowth from PC12 cells, 131
Migheli, A., Attanasio, A., Lee, W.-H., Bayer, S.A., Ghetti, B., Detection of apoptosis in weaver cerebellum by electron microscopic in situ end-labeling of fragmented DNA, 53
Mikuni, M., see Saitoh, K., 191
Misgeld, U., see Rohrbacher, J., 207
Mizuno, N., see Ding, Y.-Q., 139
Münte, T.F., Anvari, E., Matzke, M., Johannes, S., Brain potential correlates of number errors in the Turkish language, 57
Murawsky, M., see Aït-Ikhlef, A., 163

Na, H.S., see Kim, Y.I., 158
Nacmias, B., see Salvatore, M., 95
Nagasaki, S., see Yamamoto, T., 61
Nagata, A., see Fushiki, S., 171
Nagatsu, T., see Suzuki, T., 69
Nagy, J.I., see Lynn, B.D., 21
Nahm, S.H., see Kim, Y.I., 158
Nakahara, D., see Matsubara, K., 199
Nakamura, H., Kitagawa, H., Kawaguchi, Y., Tsuji, H., Takano, H., Nakatoh, S., Intracortical facilitation and inhibition after paired magnetic stimulation in humans under anesthesia, 155
Nakatoh, S., see Nakamura, H., 155
Naoi, M., see Matsubara, K., 199
Nichols, M.L., see Ossipov, M.H., 83
Nichols, M.L., see Ossipov, M.H., 87
Nicholson, G.A., see Brooks, W.S., 183
Nicolas, J.P., see Rafaï, H., 147
Noble, L.J., see Fukuda, K., 127
Nohr, D., Eiden, L.E., Weihe, E., Coexpression of vasoactive intestinal peptide, calcitonin gene-related peptide and substance P immunoreactivity in parasympathetic neurons of the rhesus monkey lung, 25
Nomura, S., see Ding, Y.-Q., 139

Ohta, S., see Kadota, O., 99
Ohta, S., see Kohno, K., 65
Onozuka, M., see Yamamoto, T., 61
Ossipov, M.H., Lopez, Y., Nichols, M.L., Bian, D., Porreca, F., Inhibition by spinal morphine of the tail-flick response is attenuated in rats with nerve ligation injury, 83
Ossipov, M.H., Lopez, Y., Nichols, M.L., Bian, D., Porreca, F., The loss of antinociceptive efficacy of spinal morphine in rats with nerve ligation injury is prevented by reducing spinal afferent drive, 87
Ozono, S., see Yamamoto, T., 61

Palmer, A.C.V., see McDonald, R.L., 115
Palumbo, B., see Parnetti, L., 231
Pan, L.-H., see Abe, K., 152
Pandya, D.N., see Schmahmann, J.D., 175
Panter, S.S., see Fukuda, K., 127
Parnetti, L., Gaiti, A., Polidori, M.C., Brunetti, M., Palumbo, B., Chionne, F., Cadini, D., Cecchetti, R., Senin, U., Increased cerebrospinal fluid pyruvate levels in Alzheimer's disease, 231
Paschen, W., Comparison of biochemical disturbances in hippocampal slices of gerbil and rat during and after in vitro ischemia, 41
Peers, C., see McDonald, R.L., 115
Petraroli, R., see Salvatore, M., 95
Pleasure, D., see Conti, G., 135
Pocchiari, M., see Salvatore, M., 95
Polidori, M.C., see Parnetti, L., 231
Porreca, F., see Ossipov, M.H., 83
Porreca, F., see Ossipov, M.H., 87

Rafaï, H., Chapleur-Chateau, M., Haumont-Pellegri, B., Fernette, B., Angel, E., Burlet, C., Nicolas, J.P., Burlet, A., The immunological impairment of vasopressin (AVP) neurons into paraventricular nuclei modifies AVP expression in suprachiasmatic nuclei, 147
Rathbone, M.P., see Middlemiss, P.J., 131
Reeh, P.W., see Steen, K.H., 29
Rieger, F., see Aït-Ikhlef, A., 163
Rohrbacher, J., Krieglstein, K., Honerkamp, S., Lewen, A., Misgeld, U., 5,7-Dihydroxytryptamine uptake discriminates living serotonergic cells from dopaminergic cells in rat midbrain culture, 207
Rostami, A., see Conti, G., 135

Saitoh, K., Mikuni, M., Ikeda, M., Yamazaki, C., Tomita, U., Takahashi, K., Serotonin-induced 5-HT_{1A} receptor desensitization in C6BU-1 glioma cells transfected with 5-HT_{1A} receptor gene, 191
Sakaki, S., see Kadota, O., 99
Sakaki, S., see Kohno, K., 65
Sakanaka, M., see Kadota, O., 99
Salvatore, M., Seeber, A.C., Nacmias, B., Petraroli, R., D'Alessandro, M., Sorbi, S., Pocchiari, M., Apolipoprotein E in sporadic and familial Creutzfeldt–Jakob disease, 95
Sandler, M., see Bhattacharya, S.K., 103
Sawada, M., see Tanaka, M., 37
Saybasili, H., Stevens, D.R., Haas, H.L., pH-dependent modulation of *N*-methyl-D-aspartate receptor-mediated synaptic currents by histamine in rat hippocampus in vitro, 225
Scarlato, G., see Conti, G., 135
Scarpini, E., see Conti, G., 135
Schellart, N.A.M., see Wubbels, R.J., 179
Schenk, D., see Lannfelt, H., 203
Schmahmann, J.D., Pandya, D.N., Prefrontal cortex projections to the basilar pons in rhesus monkey: implications for the cerebellar contribution to higher function, 175
Schmid, S., Guenther, E., Kohler, K., Changes in Thy-1 antigen immunoreactivity in the rat retina during pre- and postnatal development, 91
Schofield, P.R., see Brooks, W.S., 183
Schweigart, G., Mergner, Th., Combined action of optokinetic reflex (OKR) and vestibulo-ocular reflex (VOR) in macaque monkey during transient stimulation, 123
Seeber, A.C., see Salvatore, M., 95
Sehayek, E., see Genis, I., 5
Sehayek, E., see Gordon, I., 1
Senin, U., see Parnetti, L., 231
Sharp, F.R., see Fukuda, K., 127
Siarey, R.J., Andreasen, M., Lambert, J.D.C., Serotoninergic modulation of excitability in area CA1 of the in vitro rat hippocampus, 211
Soinila, S., see Vanhatalo, S., 45
Sorbi, S., see Salvatore, M., 95
Steen, K.H., Issberner, U., Reeh, P.W., Pain due to experimental acidosis in human skin: evidence for non-adapting nociceptor excitation, 29
Stevens, A., see Lutzenberger, W., 119
Stevens, D.R., see Saybasili, H., 225
Suzuki, T., Kobayashi, K., Nagatsu, T., Genomic structure and tissue distribution of the mouse dopamine D_4 receptor, 69

Takahashi, K., see Saitoh, K., 191
Takano, H., see Nakamura, H., 155
Tanaka, M., Sawada, M., Yoshida, S., Hanaoka, F., Marunouchi, T., Insulin prevents apoptosis of external granular layer neurons in rat cerebellar slice cultures, 37
Theuns, J., see Cruts, M., 73
Thomas, P., see Amar, M., 107
Tobeña, A., see Escorihuela, R.M., 143
Tomita, U., see Saitoh, K., 191

Tso, P., see Fukagawa, K., 17
Tsuji, H., see Nakamura, H., 155

Underwood, M.D., Bakalian, M.J., Arango, V., Mann, J.J., Effect of chemical stimulation of the dorsal raphe nucleus on cerebral blood flow in rat, 228

Vallina, I.F., see Escorihuela, R.M., 143
Van Broeckhoven, C., see Brooks, W.S., 183
Van Broeckhoven, C., see Cruts, M., 73
van Duijn, C.M., see Cruts, M., 73
Van Gassen, G., see Cruts, M., 73
Vanhatalo, S., Soinila, S., Direct nitric oxide-containing innervation from the rat spinal cord to the penis, 45
Vaughan, P.F.T., see McDonald, R.L., 115
Vedeler, C., see Conti, G., 135
Vigo-Pelfrey, C., see Lannfelt, H., 203
Vila, M., see Levy, R., 220

Wachtel, S.R., White, F.J., The dopamine D_1 receptor antagonist SCH 23390 can exert D_1 agonist-like effects on rat nucleus accumbens neurons, 13
Wahlund, L.-O., see Lannfelt, H., 203
Wang, S.-Y., see Cruts, M., 73
Watanabe, K., see Yamamoto, T., 61
Watanabe, M., see Abe, K., 152
Webb, C.E., see Domet, M.A., 49
Wehnert, A., see Cruts, M., 73
Weihe, E., see Nohr, D., 25
Werstuik, E., see Middlemiss, P.J., 131
White, F.J., see Wachtel, S.R., 13
Widman, G., see Bingmann, D., 187
Wilson, D.F., see Domet, M.A., 49
Winblad, B., see Lannfelt, H., 203
Wonnacott, S., see Amar, M., 107
Wubbels, R.J., Schellart, N.A.M., Goossens, J.H.H.L.M., Mapping of sound direction in the trout lower midbrain, 179

Yaksh, T.L., see Lee, Y.-W., 111
Yamamoto, T., Ozono, S., Watanabe, K., Nagasaki, S., Onozuka, M., Maturation of static sensitivity is related to expansion of the capsular space in rat buccal stretch receptors, 61
Yamazaki, C., see Saitoh, K., 191
Yeung, L.U., see Brooks, W.S., 183
Yoon, Y.W., see Kim, Y.I., 158
Yoshida, S., see Tanaka, M., 37

Zardetto-Smith, A.M., Johnson, A.K., Chemical topography of efferent projections from the median preoptic nucleus to pontine monoaminergic cell groups in the rat, 215